

MATERIAL SAFETY DATA SHEET

INDUSTRIAL CLEANING EQUIPMENT & SUPPLY
2600 N.W. 55TH COURT, SUITE 230
FORT LAUDERDALE, FLORIDA 33309
954-714-4977
EMERGENCY PHONE NUMBER 800-535-5053

IDENTITY (As listed on label): TRUCK BLAST

SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components:	OSHA PEL	ACGIG TVL	% RANGE
Ethyl Alcohol (Denatured) 15%			
CAS #64-17-5	1000	1000	
Potassium Hydroxide			
CAS #131-05-83	2mg/m3	2mg/m3	

SECTION III – PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212F
Vapor Pressure: N/A
Vapor Pressure(Non-Aerosols)(mm Hg and Temperature)
Vapor Density (air=1): N/A
Water Reactive: No
Solubility in Water: Yes
Appearance and Odor: Clear straw colored liquid, mild ammonia odor

Specific Gravity (H₂O=1): 1.1
Evaporation Rate (Water=1): 1

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A
Flammable Limits: N/A
LEL:
UEL:
Extinguishing Media: N/A
Special Fire Fighting Procedures: N/A
Unusual Fire and Explosion Hazards: None known

SECTION V – REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Strong acids
Incompatibility (Materials to Avoid): Strong oxidizing agents
Hazardous Decomposition or Byproducts: Sulfur dioxide and hydrogen sulfite
Hazardous Polymerization: Will not occur

TRUCK BLAST

SECTION VI – HEALTH HAZARD DATA

Route(s) of Entry:

Inhalation: X Ingestion: X Skin Absorption: X Eye: X

Acute Effects:

Inhalation: Mist caused by manufacturing operations irritates nasal passages

Eye Contact: Painful and irritating

Skin Contact: Prolonged or repeated contact with skin causes irritation

Chronic Effects: N/A

Medical Conditions Generally Aggravated by Exposure: N/A

Emergency and First Aid Procedures:

Eyes: Flush immediately with plenty of water for at least 15 minutes

Skin: Wash off skin with water. Remove contaminated clothing and clean before reuse

Ingestion: If swallowed, consult a physician immediately

Inhaled: Remove to fresh air. Give oxygen or apply artificial respiration if needed

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: Flush area with water

Waste Disposal Method: In accordance with federal, state, and local regulations

Precautions to be taken in handling and storing: Avoid overheating or freezing

Other Precautions: Spilled material is slippery

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): N/A

Ventilation: Use adequate ventilation

Protective Gloves: Use impervious gloves

Eye Protection: Wear full face shield or goggles when handling

Other Protective Clothing or Equipment: Wear protective clothing to prevent repeat or prolonged contact

DATE PREPARED: APRIL 2010

This information herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, Expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any failure to adhere to recommended practices, or from any hazards inherent in the nature of this product.

This form complies with OSHA Form 174.